L Number	Hits	Search Text	DB	Time stamp
-	592	workflow.ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/25 09:49
-	244	workflow.ti. and @ad<=19990915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 10:48
-	13	(workflow.ti. and @ad<=19990915) and (start with condition)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/25 09:49
-	2	(US-5870545-$).did. or (US-6041306-$).did.	USPAT; DERWENT	2003/02/25 09:57
-	1	("5745901").PN.	USPAT	2003/02/25 10:00
-	1	("5634127").PN.	USPAT	2003/02/25 10:00
-	1	("5301320").PN.	USPAT	2003/02/25 10:01
-	1	("5581691").PN.	USPAT	2003/02/25 10:01
-	1	("5799297").PN.	USPAT	2003/02/25 10:02
-	1	("5867824").PN.	USPAT	2003/02/25 10:02
-	6	(US-5870545-$ or US-5301320-$ or US-5581691-$ or US-5799297-$ or US-5867824-$).did. or (US-6041306-$).did.	USPAT; DERWENT	2003/02/25 10:02
-	1	(US-5870545-$).did.	USPAT	2004/07/19 15:52
-	39	((schedul$4.ti. and @ad<=20010608) and (schedul$4 with appointment)) and network and day and time and user	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/27 16:07
-	35	(((schedul$4.ti. and @ad<=20010608) and (schedul$4 with appointment)) and network and day and time and user) and (access or code or password)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/27 16:13
-	24	((((schedul$4.ti. and @ad<=20010608) and (schedul$4 with appointment)) and network and day and time and user) and (access or code or password)) and screen	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/27 16:38
-	19	(((((schedul$4.ti. and @ad<=20010608) and (schedul$4 with appointment)) and network and day and time and user) and (access or code or password)) and screen) and data$1base	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/27 16:31
-	14	(((((schedul$4.ti. and @ad<=20010608) and (schedul$4 with appointment)) and network and day and time and user) and (access or code or password)) and screen) and confirm$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/27 16:32
-	2	(((((schedul$4.ti. and @ad<=20010608) and (schedul$4 with appointment)) and network and day and time and user) and (access or code or password)) and screen) and (access adj code)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/27 16:33
-	20	(((((schedul$4.ti. and @ad<=20010608) and (schedul$4 with appointment)) and network and day and time and user) and (access or code or password)) and screen) and identif$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/27 18:30

-	4	(((((((schedul$4.ti. and @ad<=20010608) and (schedul$4 with appointment)) and network and day and time and user) and (access or code or password)) and screen) and identif$6) and print	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/27 16:35
-	15	(((((schedul$4.ti. and @ad<=20010608) and (schedul$4 with appointment)) and network and day and time and user) and (access or code or password)) and screen) and output	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/27 16:36
-	6	(((((schedul$4.ti. and @ad<=20010608) and (schedul$4 with appointment)) and network and day and time and user) and (access or code or password)) and screen) and prints	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/27 16:36
-	7	(((((schedul$4.ti. and @ad<=20010608) and (schedul$4 with appointment)) and network and day and time and user) and (access or code or password)) and screen) and administrator	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/27 16:38
-	8	(((((((schedul$4.ti. and @ad<=20010608) and (schedul$4 with appointment)) and network and day and time and user) and (access or code or password)) and screen) and identif$6) and conflict$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/27 18:30
-	50	(schedul$4.ti. and @ad<=20010608) and (screen with (confirm$ or notif$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/27 19:52
-	3	((schedul$4.ti. and @ad<=20010608) and (schedul$4 with appointment)) and (screen with (confirm$ or notif$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/27 19:38
-	0	(schedul$4.ti. and @ad<=20010608) and (date adj approved)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/27 19:53
-	4	(schedul$4.ti. and @ad<=20010608) and (date same approved)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/27 19:56
-	49	(schedul$4.ti. and @ad<=20010608) and (confirm$6 same identif$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/27 20:23
-	79	(schedul$4.ti. and @ad<=20010608) and (confirm$6 same date)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/27 20:24
-	55	(schedul$4.ti. and @ad<=20010608) and (confirm$6 with date)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/27 20:24
-	41	(schedul$4.ti. and @ad<=20010608) and (confirm$6 with (date and time))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/27 20:24
-	1	(US-6012037-$).did.	USPAT	2003/03/01 14:29
-	1	(US-5970466-$).did.	USPAT	2003/03/01 17:48
-	1	(US-4548510-$).did.	USPAT	2003/03/01 14:29

C:\APPS\EAST\Workspaces\09396245.wsp

-	3	((US-6012037-$).did.) or ((US-5970466-$).did.) or ((US-4548510-$).did.)	USPAT	2003/03/01 14:57
-	2	(((US-6012037-$).did.) or ((US-5970466-$).did.) or ((US-4548510-$).did.)) and (print or output)	USPAT	2003/03/01 14:36
-	0	(((US-6012037-$).did.) or ((US-5970466-$).did.) or ((US-4548510-$).did.)) and welcome	USPAT	2003/03/01 14:36
-	0	(((US-6012037-$).did.) or ((US-5970466-$).did.) or ((US-4548510-$).did.)) and main	USPAT	2003/03/01 14:39
-	14	(US-5870545-$ or US-5867824-$ or US-5799297-$ or US-5301320-$ or US-5581691-$ or US-4548510-$ or US-5970466-$ or US-6035278-$ or US-6370566-$ or US-6505167-$ or US-6073110-$ or US-6012037-$).did. or (US-20010051888-$).did. or (US-6041306-$).did.	USPAT; US-PGPUB; DERWENT	2003/03/01 14:36
-	0	((US-5870545-$ or US-5867824-$ or US-5799297-$ or US-5301320-$ or US-5581691-$ or US-4548510-$ or US-5970466-$ or US-6035278-$ or US-6370566-$ or US-6505167-$ or US-6073110-$ or US-6012037-$).did. or (US-20010051888-$).did. or (US-6041306-$).did.) and welcome	USPAT	2003/03/01 14:36
-	3	(((US-6012037-$).did.) or ((US-5970466-$).did.) or ((US-4548510-$).did.)) and screen	USPAT	2003/03/01 14:42
-	0	(((US-6012037-$).did.) or ((US-5970466-$).did.) or ((US-4548510-$).did.)) and screen and ID	USPAT	2003/03/01 14:44
-	0	(((US-6012037-$).did.) or ((US-5970466-$).did.) or ((US-4548510-$).did.)) and ID	USPAT	2003/03/01 14:44
-	2	((US-5870545-$ or US-5867824-$ or US-5799297-$ or US-5301320-$ or US-5581691-$ or US-4548510-$ or US-5970466-$ or US-6035278-$ or US-6370566-$ or US-6505167-$ or US-6073110-$ or US-6012037-$).did. or (US-20010051888-$).did. or (US-6041306-$).did.) and ID	USPAT	2003/03/01 14:46
-	1	(US-6073110-$).did.	USPAT	2003/03/01 14:57
-	3	((US-6012037-$).did.) or ((US-5970466-$).did.) or ((US-6073110-$).did.)	USPAT	2003/03/01 18:19
-	0	(((US-6012037-$).did.) or ((US-5970466-$).did.) or ((US-6073110-$).did.)) and print	USPAT	2003/03/01 14:58
-	1	(((US-6012037-$).did.) or ((US-5970466-$).did.) or ((US-6073110-$).did.)) and output	USPAT	2003/03/01 14:58
-	2	(((US-6012037-$).did.) or ((US-5970466-$).did.) or ((US-6073110-$).did.)) and users	USPAT	2003/03/01 15:26
-	1	(((US-6012037-$).did.) or ((US-5970466-$).did.) or ((US-6073110-$).did.)) and (remove or cancel or delete)	USPAT	2003/03/01 16:48
-	0	((US-5870545-$ or US-5867824-$ or US-5799297-$ or US-5301320-$ or US-5581691-$ or US-4548510-$ or US-5970466-$ or US-6035278-$ or US-6370566-$ or US-6505167-$ or US-6073110-$ or US-6012037-$).did. or (US-20010051888-$).did. or (US-6041306-$).did.) and students	USPAT	2003/03/01 16:49

C:\APPS\EAST\Workspaces\09396245.wsp

-	136	(schedul$4.ti. and @ad<=20010608) and (schedul$4 with appointment)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/01 16:50
-	1	((schedul$4.ti. and @ad<=20010608) and (schedul$4 with appointment)) and students	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/01 16:50
-	10858	schedul$4.ti. and @ad<=20010608	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/01 16:52
-	27	(schedul$4.ti. and @ad<=20010608) and students	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/01 16:52
-	4	(schedul$4.ti. and @ad<=20010608) and (group with students)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/01 17:06
-	12	((US-5870545-$ or US-5867824-$ or US-5799297-$ or US-5301320-$ or US-5581691-$ or US-4548510-$ or US-5970466-$ or US-6035278-$ or US-6370566-$ or US-6505167-$ or US-6073110-$ or US-6012037-$).did. or (US-20010051888-$).did. or (US-6041306-$).did.) and group	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/01 17:25
-	4	((US-5870545-$ or US-5867824-$ or US-5799297-$ or US-5301320-$ or US-5581691-$ or US-4548510-$ or US-5970466-$ or US-6035278-$ or US-6370566-$ or US-6505167-$ or US-6073110-$ or US-6012037-$).did. or (US-20010051888-$).did. or (US-6041306-$).did.) and code and database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/01 17:25
-	7	((US-5870545-$ or US-5867824-$ or US-5799297-$ or US-5301320-$ or US-5581691-$ or US-4548510-$ or US-5970466-$ or US-6035278-$ or US-6370566-$ or US-6505167-$ or US-6073110-$ or US-6012037-$).did. or (US-20010051888-$).did. or (US-6041306-$).did.) and access and database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/01 17:25
-	1	((US-5970466-$).did.) and display	USPAT	2003/03/01 17:58
-	20	(schedul$4.ti. and @ad<=20010608) and (seating or sitting)	USPAT	2003/03/01 18:00
-	0	((schedul$4.ti. and @ad<=20010608) and (seating or sitting)) and photography	USPAT	2003/03/01 17:59
-	10	(schedul$4.ti. and @ad<=20010608) and (seating)	USPAT	2003/03/01 18:09
-	0	(schedul$4.ti. and @ad<=20010608) and (seating and attire)	USPAT	2003/03/01 18:10
-	0	(photography with (sitting or seating)) and attire	USPAT	2003/03/01 18:11
-	1	(photography same (sitting or seating)) and attire	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/01 18:11

-	3	(photography and (sitting or seating)) and attire	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/01 18:13
-	9	((sitting or seating) with attire)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/01 18:13
-	8	(((sitting or seating) with attire)) and @ad<=20000608	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/01 18:14
-	1	(((US-6012037-$).did.) or ((US-5970466-$).did.) or ((US-6073110-$).did.)) and mail	USPAT	2003/03/01 18:20
-	1	(((US-6012037-$).did.) or ((US-5970466-$).did.) or ((US-6073110-$).did.)) and e$1mail	USPAT	2003/03/01 18:20
-	5	((US-5870545-$ or US-5867824-$ or US-5799297-$ or US-5301320-$ or US-5581691-$ or US-4548510-$ or US-5970466-$ or US-6035278-$ or US-6370566-$ or US-6505167-$ or US-6073110-$ or US-6012037-$).did. or (US-20010051888-$).did. or (US-6041306-$).did.) and e$1mail	USPAT	2003/03/01 18:24
-	3	((US-5870545-$ or US-5867824-$ or US-5799297-$ or US-5301320-$ or US-5581691-$ or US-4548510-$ or US-5970466-$ or US-6035278-$ or US-6370566-$ or US-6505167-$ or US-6073110-$ or US-6012037-$).did. or (US-20010051888-$).did. or (US-6041306-$).did.) and e$1mail and notif$6	USPAT	2003/03/01 18:24
-	1	("5970466").PN.	USPAT	2003/03/03 16:05
-	0	("((assign$4 with access) same database) and @ad<=20000608").PN.	USPAT	2003/03/03 16:29
-	486	((assign$4 with access) same database) and @ad<=20000608	USPAT	2003/03/03 16:26
-	116	(((assign$4 with access) same database) and @ad<=20000608) and schedule	USPAT	2003/03/03 16:20
-	93	((((assign$4 with access) same database) and @ad<=20000608) and schedule) and date and time	USPAT	2003/03/03 16:21
-	26	(((((assign$4 with access) same database) and @ad<=20000608) and schedule) and date and time) and calendar	USPAT	2003/03/03 16:21
-	74	((assign$4 with access with (code or ID)) same database) and @ad<=20000608	USPAT	2003/03/03 16:27
-	3	(((assign$4 with access with (code or ID)) same database) and @ad<=20000608) and calendar and schedule	USPAT	2003/03/03 16:27
-	0	("((assign$4 with access with user) and database) and (ID or password) and @ad<=20000608").PN.	USPAT	2003/03/03 16:29
-	633	((assign$4 with access with user) and database) and (ID or password) and @ad<=20000608	USPAT	2003/03/03 16:31
-	312	((assign$4 with access with user) and database) and (ID or password) and administrator and @ad<=20000608	USPAT	2003/03/03 16:31
-	121	(((assign$4 with access with user) and database) and (ID or password) and administrator and @ad<=20000608) and (administrator with assign$4)	USPAT	2003/03/04 20:24
-	1	(US-5163097-$).did.	USPAT	2003/03/04 20:24

-	1	((US-5163097-$).did.) and (access adj code)	USPAT	2003/03/04 20:24
-	1	(((US-5163097-$).did.) and (access adj code)) and administrator	USPAT	2003/03/04 20:25
-	1	(US-5970466-$).did.	USPAT	2003/03/04 20:29
-	18	(US-5870545-$ or US-5867824-$ or US-5799297-$ or US-5301320-$ or US-5581691-$ or US-4548510-$ or US-5970466-$ or US-6035278-$ or US-6370566-$ or US-6505167-$ or US-6073110-$ or US-6012037-$ or US-5070453-$ or US-6101480-$ or US-6526512-$ or US-5163097-$).did. or (US-20010051888-$).did. or (US-6041306-$).did.	USPAT; US-PGPUB; DERWENT	2003/03/05 10:35
-	3	((US-5870545-$ or US-5867824-$ or US-5799297-$ or US-5301320-$ or US-5581691-$ or US-4548510-$ or US-5970466-$ or US-6035278-$ or US-6370566-$ or US-6505167-$ or US-6073110-$ or US-6012037-$ or US-5070453-$ or US-6101480-$ or US-6526512-$ or US-5163097-$).did. or (US-20010051888-$).did. or (US-6041306-$).did.) and ((multiple or multi$1 or plurality) with level)	USPAT	2003/03/05 10:46
-	1691	(((multiple or multi$1 or plurality) with level)) and administrator	USPAT	2003/03/05 10:49
-	1	(US-6041306-$).did.	DERWENT	2003/06/29 16:11
-	0	((US-6041306-$).did.) and tim$4	USPAT	2003/06/29 15:25
-	0	((US-6041306-$).did.) and (condition or evaluat$4)	USPAT	2003/06/29 15:25
-	0	((US-6041306-$).did.) and memory	USPAT	2003/06/29 15:25
-	1	(US-6041306-$).did. and tim$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/29 15:26
-	1	(US-6041306-$).did. and tim$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/29 16:11
-	1	(US-5870545-$).did.	USPAT	2003/06/29 16:12
-	1	((US-5870545-$).did.) and tim$4	USPAT	2003/06/29 16:13
-	18	(US-5301320-$ or US-5581691-$ or US-6505167-$ or US-6370566-$ or US-6101480-$ or US-6035278-$ or US-5970466-$ or US-4548510-$ or US-6073110-$ or US-6012037-$ or US-5870545-$ or US-5867824-$ or US-5799297-$ or US-5070453-$ or US-6526512-$ or US-5163097-$).did. or (US-20010051888-$).did. or (US-6041306-$).did.	USPAT; US-PGPUB; DERWENT	2003/06/30 14:37
-	18	(US-5301320-$ or US-5581691-$ or US-6505167-$ or US-6370566-$ or US-6101480-$ or US-6035278-$ or US-5970466-$ or US-4548510-$ or US-6073110-$ or US-6012037-$ or US-5870545-$ or US-5867824-$ or US-5799297-$ or US-5070453-$ or US-6526512-$ or US-5163097-$).did. or (US-20010051888-$).did. or (US-6041306-$).did.	USPAT; US-PGPUB; DERWENT	2003/06/30 14:39

C:\APPS\EAST\Workspaces\09396245.wsp

-	15	((US-5301320-$ or US-5581691-$ or US-6505167-$ or US-6370566-$ or US-6101480-$ or US-6035278-$ or US-5970466-$ or US-4548510-$ or US-6073110-$ or US-6012037-$ or US-5870545-$ or US-5867824-$ or US-5799297-$ or US-5070453-$ or US-6526512-$ or US-5163097-$).did. or (US-20010051888-$).did. or (US-6041306-$).did.) and time	USPAT	2003/06/30 14:56
-	1	(US-5870545-$).did.	USPAT	2003/06/30 14:56
-	1	((US-5870545-$).did.) and arcs	USPAT	2003/06/30 14:56
-	1	(US-5870545-$).did.	USPAT	2003/12/12 14:49
-	1	((US-5870545-$).did.) and (control time cycle period)	USPAT	2003/12/12 14:58
-	1635	(709/1-108).ccls. and @ad<=19990915 and (process$4 with (continu$4 complet$4 resum$4))	USPAT	2003/12/12 15:16
-	763	(709/1-108).ccls. and @ad<=19990915 and (process$4 adj (continu$4 complet$4 resum$4))	USPAT	2003/12/12 15:31
-	727	(709/1-108).ccls. and @ad<=19990915 and (process$4 adj (continu$4 complete completed resum$4))	USPAT	2003/12/12 15:32
-	18	(US-6505167-$ or US-6370566-$ or US-6101480-$ or US-6035278-$ or US-5970466-$ or US-4548510-$ or US-5870545-$ or US-5867824-$ or US-5799297-$ or US-5301320-$ or US-6073110-$ or US-6012037-$ or US-5581691-$ or US-5070453-$ or US-6526512-$ or US-5163097-$).did. or (US-20010051888-$).did. or (US-6041306-$).did.	USPAT; US-PGPUB; DERWENT	2004/07/19 10:44
-	29479	(start initial) adj conditions	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 10:48
-	0	((US-6505167-$ or US-6370566-$ or US-6101480-$ or US-6035278-$ or US-5970466-$ or US-4548510-$ or US-5870545-$ or US-5867824-$ or US-5799297-$ or US-5301320-$ or US-6073110-$ or US-6012037-$ or US-5581691-$ or US-5070453-$ or US-6526512-$ or US-5163097-$).did. or (US-20010051888-$).did. or (US-6041306-$).did.) and ((start initial) adj conditions)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 10:47
-	28	((start initial) adj conditions) same workflow	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 11:26
-	18241289	@ad<=19990915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 10:48
-	7	(((start initial) adj conditions) same workflow) and @ad<=19990915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 10:48

-	24	((start initial) adj conditions) with workflow	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 11:26
-	2253	((start initial) adj conditions) with (process$3 workflow)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 12:05
-	243	(((start initial) adj conditions) with (process$3 workflow)) and (process with work$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 12:05
-	134	@ad<=19990915 and ((((start initial) adj conditions) with (process$3 workflow)) and (process with work$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 11:29
-	66	718/100-108.ccls. and 705/$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 11:29
-	134	(@ad<=19990915 and ((((start initial) adj conditions) with (process$3 workflow)) and (process with work$4))) not ibm.as.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 11:29
-	127	((@ad<=19990915 and ((((start initial) adj conditions) with (process$3 workflow)) and (process with work$4)) not ibm.as.) not international.as.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 11:57
-	1	(718/100-108.ccls. and 705/$.ccls.) and (((@ad<=19990915 and ((((start initial) adj conditions) with (process$3 workflow)) and (process with work$4)) not ibm.as.) not international.as.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 11:30
-	2	(((@ad<=19990915 and ((((start initial) adj conditions) with (process$3 workflow)) and (process with work$4)) not ibm.as.) not international.as.) and workflow	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 11:30
-	23	(((@ad<=19990915 and ((((start initial) adj conditions) with (process$3 workflow)) and (process with work$4)) not ibm.as.) not international.as.) and nodes	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 11:57
-	4523	((((@ad<=19990915 and ((((start initial) adj conditions) with (process$3 workflow)) and (process with work$4)) not ibm.as.) not international.as.) and nodes) and ((@ad<=19990915 and ((((start initial) adj conditions) with (process$3 workflow)) and (process with work$4)) not ibm.as.) adn (((@ad<=19990915 and ((((start initial) adj conditions) with (process$3 workflow)) and (process with work$4))) not ibm.as.) not international.as.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 11:57

–	23	(((((@ad<=19990915 and ((((start initial) adj conditions) with (process$3 workflow)) and (process with work$4))) not ibm.as.) not international.as.) and nodes) and ((@ad<=19990915 and ((((start initial) adj conditions) with (process$3 workflow)) and (process with work$4))) not ibm.as.) and ((((@ad<=19990915 and (((((start initial) adj conditions) with (process$3 workflow)) and (process with work$4))) not ibm.as.) not international.as.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 12:03
–	1	(US-5740463-$).did.	USPAT	2004/07/19 12:02
–	0	((US-5740463-$).did.) and (threads workflow tasks)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 12:02
–	1	((US-5740463-$).did.) and (threads workflow tasks jobs)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 12:02
–	24	(((start initial) adj conditions) with (process$3 workflow)) with workflow	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 12:06
–	7	@ad<=19990915 and ((((start initial) adj conditions) with (process$3 workflow)) with workflow)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 12:06
–	33	(((start initial) adj conditions) with (process$3 workflow)) and workflow	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 12:06
–	10	@ad<=19990915 and ((((start initial) adj conditions) with (process$3 workflow)) and workflow)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 12:07
–	2	(@ad<=19990915 and ((((start initial) adj conditions) with (process$3 workflow)) and workflow)) and ((@ad<=19990915 and (((((start initial) adj conditions) with (process$3 workflow)) and (process with work$4))) not ibm.as.) and ((((@ad<=19990915 and ((((start initial) adj conditions) with (process$3 workflow)) and (process with work$4))) not ibm.as.) not international.as.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 12:20
–	1	(US-6314434-$).did.	USPAT	2004/07/19 12:20
–	1	((US-6314434-$).did.) and model	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 15:38
–	1	((US-6314434-$).did.) and (model same (nodes process$3 activity connector graph))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 12:24
–	0	((US-6314434-$).did.) and connector	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 12:37

C:\APPS\EAST\Workspaces\09396245.wsp

-	74988	continu$4 adj (process$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 12:38
-	9	(continu$4 adj (process$3)) and (718/100-108.ccls. and 705/$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 12:39
-	1719	carries adj process$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 12:40
-	0	(carries adj process$3) and (718/100-108.ccls. and 705/$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 12:40
-	0	((carries adj process$3) and (718/100-108.ccls. and 705/$.ccls.)) and @ad<=19990915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 12:40